

USG Data Store

Data Element Dictionary

Facilities Inventory Data Collection

Table of Contents

1. Facilities	4
1. Building	4
1. Building Code	4
2. Sub-Division Code	4
3. Building Name	5
4. Percent Renovated	6
5. Construction Project Code	7
6. Number of Floors	8
7. Congressional District	9
8. County Location Code	9
9. Initial Year Constructed	10
10. Initial Year Occupied	11
11. Year Renovated	12
12. Construction Type	13
13. Condition Status Code	13
14. Ownership Code	14
15. Initial Investment	15
16. Average Cost Per Square Foot	16
17. Gross Area of Building	17
18. Percent Resident Instruction	18
19. Percent Auxiliary Enterprises	18
20. Percent Other Purposes	19
21. Primary Use Code	20
22. Building on Main Campus	21
23. DHEW Remote Control	22
24. Dorm Beds Available	22
25. Dorm Beds Occupied	23
26. Apartment Spaces Available	24
27. Apartment Spaces Occupied	25
28. House Spaces Available	26
29. House Spaces Occupied	26
2. Room	27
1. Room Code	27
2. Room Description	28
3. Room Area in Square Feet	29
4. Room Use Code	30
5. Program Class Code	31
6. Number of Stations	32
7. Classification of Instructional Program Code	33

Table of Contents

2. General	34
1. General	35
1. Institution Code	35
2. Academic Term	35

Facilities

Building

Building Code		BUI001						
Category	Facilities Inventory / Facilities / Building / BUI001							
Description	A four digit code used to identify a building for institution/campus use.							
Data Type	A/N							
Length	6							
Format	X							
Collection Period	Current		Following					
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other	
	Y							
Reference Table	(None)							
Business Practices	<p>Building Code is the unique identifier of all buildings within the inventory of an institution, and as such is a key element of the unique identification of all rooms in the inventory. Institutions may change Building Codes over time for improved identification and operations, but the corresponding Regents Building Code (translated on the Building Translation Form ZLARBDG) cannot be changed except in specific circumstances approved by the USG Office of Real Estate and Facilities (i.e. Consolidation).</p>							
Validation Rules	Status: Active							
	Severity	Code	Description					
	Error	VBUI001	building code must not be null.					
Data Source	Provider	Banner						
	Table	ZLBRBDG ZLBBSUP						

Data Type	N						
Length	2						
Format	X						
Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other
Reference Table	(None)						
Business Practices							

Y

	<table border="1"> <tr> <td>Mid-term</td> <td>End of Term</td> <td>Mid-term</td> <td>End of Term</td> <td>Annual</td> <td>Monthly</td> <td>Other</td> </tr> <tr> <td colspan="6"></td> <td>Y</td> </tr> </table>	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other							Y
Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other									
						Y									
Reference Table	(None)														
Business Practices	The Key block Building code field is used to identify a building. A List of Values selected from the Building Code Validation Form (STVBLDG) is available for this item. Once a valid code is entered in the Key block Building field, the building name is displayed in the next field, and the associated Regents' building number is displayed in the Regents' Building Code field.														
Validation Rules	<p>Status: Active</p> <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI006</td> <td>building name must not be null.</td> </tr> </tbody> </table>	Severity	Code	Description	Error	VBUI006	building name must not be null.								
Severity	Code	Description													
Error	VBUI006	building name must not be null.													
Data Source	<table border="1"> <tr> <td>Provider</td> <td>Banner</td> </tr> <tr> <td>Table</td> <td>STVBLDG ZLBBSUP</td> </tr> <tr> <td>Column</td> <td>STVBLDG.STVBLDG_DESC (STVBLDG) where ZLBBSUP.ZLBBSUP_BLDG_CODE (ZLABSUP) = STVBLDG.STVBLDG_CODE</td> </tr> <tr> <td>GUI Name</td> <td>STVBLDG</td> </tr> <tr> <td>GUI Label</td> <td>DESCRIPTION</td> </tr> <tr> <td>SOAXREF Translation Code</td> <td></td> </tr> </table>	Provider	Banner	Table	STVBLDG ZLBBSUP	Column	STVBLDG.STVBLDG_DESC (STVBLDG) where ZLBBSUP.ZLBBSUP_BLDG_CODE (ZLABSUP) = STVBLDG.STVBLDG_CODE	GUI Name	STVBLDG	GUI Label	DESCRIPTION	SOAXREF Translation Code			
Provider	Banner														
Table	STVBLDG ZLBBSUP														
Column	STVBLDG.STVBLDG_DESC (STVBLDG) where ZLBBSUP.ZLBBSUP_BLDG_CODE (ZLABSUP) = STVBLDG.STVBLDG_CODE														
GUI Name	STVBLDG														
GUI Label	DESCRIPTION														
SOAXREF Translation Code															
Effective Terms	<p>Start: (None)</p> <p>End: (None)</p>														
Old DW Reference	BUILDING_NAME														
Legacy Element ID	F305														
Change History	(None)														

Percent Renovated							BUI004																	
Category	Facilities Inventory / Facilities / Building / BUI004																							
Description	The estimated percentage of the building that was renovated at the last renovation date.																							
Data Type	N																							
Length	3																							
Format	X																							
Collection Period	<table border="1"> <tr> <th colspan="2">Current</th> <th colspan="2">Following</th> <td colspan="3"></td> </tr> <tr> <td>Mid-term</td> <td>End of Term</td> <td>Mid-term</td> <td>End of Term</td> <td>Annual</td> <td>Monthly</td> <td>Other</td> </tr> <tr> <td colspan="6"></td> <td>Y</td> </tr> </table>		Current		Following					Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other							Y	
Current		Following																						
Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other																		
						Y																		
Reference Table	(None)																							
Business Practices	The Renovation Percent field is the estimated percentage of the most recent renovation.																							
Validation Rules	Status: Active																							

Severity	Code	Description
Error	VBUI007	percent renovated must be 000 or 025 - 100.
	VBUI008	if percent renovated is 25 or above the year renovated field must not be null.

Data Source	Provider	Banner
	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_RENOVATE_PCT
	GUI Name	ZLABSUP
	GUI Label	RENOVATE %:
	SOAXREF Translation Code	
Effective Terms	Start:	19932
	End:	(None)
Old DW Reference	RENOVATE_PCT	
Legacy Element ID	F306	
Change History	(None)	

Construction Project Code

BUI005

Category	Facilities Inventory / Facilities / Building / BUI005						
Description	A value assigned by the USG Office of Real Estate and Facilities when the building was built or last renovated in a project funded by State General Obligation Bonds.						
Data Type	A/N						
Length	4						
Format	X						
Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other
	Y						
Reference Table	(None)						
Business Practices	If the Project Number has more than 4 characters, enter the last four characters The Construction Project Number field is a value assigned by the USG Office of Real Estate and Facilities when the building was built or last renovated in a project funded by State General Obligation Bonds.						
Validation Rules	Status: Active						
	Severity	Code	Description				
	Error	VBUI009	if ownership code is 9 then construction project code cannot be null.				
Data Source	Provider	Banner					
	Table	ZLBBSUP					
	Column	ZLBBSUP.ZLBBSUP_CONSTR_PROJ_NUMB					
	GUI Name	ZLABSUP					

	GUI Label	CONST Proj #:
	SOAXREF Translation Code	
Effective Terms	Start: 19912 End: (None)	
Old DW Reference	CONSTRUCT_PROJ_CODE	
Legacy Element ID	F307	
Change History	(None)	

Number of Floors

BUI006

Category	Facilities Inventory / Facilities / Building / BUI006						
Description	The number of floors in the building						
Data Type	N						
Length	2						
Format	X						
Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other
	Y						
Reference Table	(None)						
Business Practices	Include all basements, mezzanines, and attics if the square feet of the level in question exceeds 50% of the main floor of the building.						
Validation Rules	Status: Active						
	Severity	Code	Description				
	Error	VBUI010	number of floors must not be null.				
Data Source	Provider	Banner					
	Table	ZLBBSUP					
	Column	ZLBBSUP.ZLBBSUP_NUMB_FLOORS					
	GUI Name	ZLABSUP					
	GUI Label	# FLOORS:					
	SOAXREF Translation Code						
	Effective Terms	Start: 19912 End: (None)					
Old DW Reference	NBR_OF_FLOORS						
Legacy Element ID	F308						
Change History	(None)						

Congressional District							BUI007																																									
Category	Facilities Inventory / Facilities / Building / BUI007																																															
Description	The numeric equivalent for the congressional district where the institution is located.																																															
Data Type	N																																															
Length	2																																															
Format	X																																															
Collection Period	<table border="1"> <thead> <tr> <th colspan="2">Current</th> <th colspan="2">Following</th> <th rowspan="2">Annual</th> <th rowspan="2">Monthly</th> <th rowspan="2">Other</th> </tr> <tr> <th>Mid-term</th> <th>End of Term</th> <th>Mid-term</th> <th>End of Term</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Y</td> </tr> </tbody> </table>		Current		Following		Annual	Monthly	Other	Mid-term	End of Term	Mid-term	End of Term							Y																												
Current		Following		Annual	Monthly	Other																																										
Mid-term	End of Term	Mid-term	End of Term																																													
						Y																																										
Reference Table	EDW_FIDM_CONGRESS_DIST_LKP																																															
Business Practices	<p>The Congressional District Code Validation Form (ZTVCONG) is used to define the Georgia Congressional Districts. Congressional district boundaries are subject to change due to reapportionment, which occurs following the release of necessary Census data in the first 12-18 months of each decade. Current maps and data are available from the Georgia Legislative and Congressional Reapportionment Office.</p>																																															
Validation Rules	<p>Status: Active</p> <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI011</td> <td>congressional district cannot be null.</td> </tr> </tbody> </table> <p>Status: Inactive</p> <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI012</td> <td>the combination of congressional district and county location code must be valid.</td> </tr> </tbody> </table>						Severity	Code	Description	Error	VBUI011	congressional district cannot be null.	Severity	Code	Description	Error	VBUI012	the combination of congressional district and county location code must be valid.																														
Severity	Code	Description																																														
Error	VBUI011	congressional district cannot be null.																																														
Severity	Code	Description																																														
Error	VBUI012	the combination of congressional district and county location code must be valid.																																														
Data Source	<table border="1"> <tbody> <tr> <td>Provider</td> <td colspan="6">Banner</td> </tr> <tr> <td>Table</td> <td colspan="6">ZLBBSUP</td> </tr> <tr> <td>Column</td> <td colspan="6">ZLBBSUP.ZLBBSUP_CONG_DIST</td> </tr> <tr> <td>GUI Name</td> <td colspan="6">ZLABSUP</td> </tr> <tr> <td>GUI Label</td> <td colspan="6">CONG DISTRICT:</td> </tr> <tr> <td>SOAXREF Translation Code</td> <td colspan="6"></td> </tr> </tbody> </table>						Provider	Banner						Table	ZLBBSUP						Column	ZLBBSUP.ZLBBSUP_CONG_DIST						GUI Name	ZLABSUP						GUI Label	CONG DISTRICT:						SOAXREF Translation Code						
Provider	Banner																																															
Table	ZLBBSUP																																															
Column	ZLBBSUP.ZLBBSUP_CONG_DIST																																															
GUI Name	ZLABSUP																																															
GUI Label	CONG DISTRICT:																																															
SOAXREF Translation Code																																																
Effective Terms	<p>Start: 19912 End: (None)</p>																																															
Old DW Reference	CONGRESS_DIST_CODE																																															
Legacy Element ID	F309																																															
Change History	(None)																																															

County Location Code		BUI008
Category	Facilities Inventory / Facilities / Building / BUI008	
Description	The numeric equivalent that identifies the Georgia county where the building is located.	
Data Type	N	

Length	3							
Format	X							
Collection Period	Current		Following					
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other	
							Y	
Reference Table	EDW_COUNTY_LKP							
Business Practices	Values and corresponding county names are maintained within Banner in Validation Form STVCNTY.							
Validation Rules	Status: Active							
	Severity	Code	Description					
	Error	VBUI013	county location code cannot be null.					
Data Source	Provider	Banner						
	Table	SLBBLDG ZLBBSUP						
	Column	SORXREF.SORXREF_EDI_VALUE (SOAXREF) where SORXREF.SORXREF_XLBL_CODE = 'RGCNTY' and SORXREF.SORXREF_BANNER_VALUE = SLBBLDG.SLBBLDG_CNTY_CODE (SLABLDG) and SLBBLDG.SLBBLDG_BLDG_CODE = ZLBBSUP.ZLBBSUP_BLDG_CODE (ZLABSUP)						
	GUI Name	SLABLDG, ZLABSUP, SOAXREF						
	GUI Label	COUNTY CODE						
	SOAXREF Translation Code	RGCNTY						
	Effective Terms	Start: 19912 End: (None)						
Old DW Reference	COUNTY_CODE							
Legacy Element ID	F310							
Change History	(None)							

Initial Year Constructed

BUI009

Category	Code	Code
----------	------	------

Validation Rules	Status: Active	
	Severity	Description
	Error	VBUI014 initial year construction cannot be null.
		VBUI015 initial year construction must be between 1800 and current year + 2 years.
Data Source	Provider	Banner
	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_INIT_CONSTR_YEAR
	GUI Name	ZLABSUP
	GUI Label	CONST. YEAR:
	SOAXREF Translation Code	
Effective Terms	Start: 19912	End: (None)
Old DW Reference	INITCONSTRUCTION_YR	
Legacy Element ID	F311	
Change History	(None)	

Initial Year Occupied BUI010

Category	Facilities Inventory / Facilities / Building / BUI010
Description	The year the building was first occupied by the institution.
Data Type	N
Length	4
Format	X

	GUI Label	OCC. YEAR:
	SOAXREF Translation Code	
Effective Terms	Start: 19912 End: (None)	
Old DW Reference	INITOCCUPIED_YR	
Legacy Element ID	F312	
Change History	(None)	

Year Renovated

BUI011

Category	Facilities Inventory / Facilities / Building / BUI011						
Description	The year in which the building last had a major renovation (with construction costs exceeding 25% of the estimated building replacement cost).						
Data Type	N						
Length	4						
Format	X						
Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other
							Y
Reference Table	(None)						
Business Practices							

Legacy Element ID	F313
Change History	(None)

Construction Type		BUI012																					
Category	Facilities Inventory / Facilities / Building / BUI012																						
Description	A code describing the type of material used to construct the building.																						
Data Type	N																						
Length	1																						
Format	X																						
Collection Period	<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th colspan="2">Current</th> <th colspan="3">Following</th> <th colspan="2"></th> </tr> <tr> <th>Mid-term</th> <th>End of Term</th> <th>Mid-term</th> <th>End of Term</th> <th>Annual</th> <th>Monthly</th> <th>Other</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Y</td> </tr> </tbody> </table>		Current		Following					Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other							Y
Current		Following																					
Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other																	
						Y																	
Reference Table	EDW_FIDM_CONSTRUCTION_LKP																						
Business Practices	Values and descriptions are maintained within Banner in the Building Construction Code Validation Form (ZTVCNST).																						
Validation Rules	<p>Status: Active</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI021</td> <td>construction type must be 1 - 8.</td> </tr> </tbody> </table>		Severity	Code	Description	Error	VBUI021	construction type must be 1 - 8.															
Severity	Code	Description																					
Error	VBUI021	construction type must be 1 - 8.																					
Data Source	<table border="1" style="width: 100%;"> <tr> <td>Provider</td> <td>Banner</td> </tr> <tr> <td>Table</td> <td>ZLBBSUP</td> </tr> <tr> <td>Column</td> <td>ZLBBSUP.ZLBBSUP_CNST_CODE</td> </tr> <tr> <td>GUI Name</td> <td>ZLABSUP</td> </tr> <tr> <td>GUI Label</td> <td>CNST CODE:</td> </tr> <tr> <td>SOAXREF Translation Code</td> <td></td> </tr> </table>		Provider	Banner	Table	ZLBBSUP	Column	ZLBBSUP.ZLBBSUP_CNST_CODE	GUI Name	ZLABSUP	GUI Label	CNST CODE:	SOAXREF Translation Code										
Provider	Banner																						
Table	ZLBBSUP																						
Column	ZLBBSUP.ZLBBSUP_CNST_CODE																						
GUI Name	ZLABSUP																						
GUI Label	CNST CODE:																						
SOAXREF Translation Code																							
Effective Terms	Start: 19912 End: (None)																						
Old DW Reference	CONSTRUCTION_CODE																						
Legacy Element ID	F314																						
Change History	(None)																						

Condition Status Code		BUI013
Category	Facilities Inventory / Facilities / Building / BUI013	
Description	Describes the physical condition or occupancy status of the building.	
Data Type	N	
Length	2	
Format	X	

Collection Period	Current		Following					
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other	
							Y	

Reference Table EDW_FIDM_CONDITION_LKP

Business Practices The Condition Code field should describe the physical condition of the building at the time of data submission. Values and descriptions are maintained within Banner in the Building Condition Code Validation Form (ZTVCOND)

Validation Rules

Status: Active

Severity	Code	Description
Error	VBUI022	condition status code must be 1 - 9.

Data Source

Provider	Banner
Table	ZLBBSUP
Column	ZLBBSUP.ZLBBSUP_COND_CODE

[Fall_2012_Chgs_2012-09.pdf](#)

Validation Rules	Status: Active <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI023</td> <td>ownership code must be 1 - 9.</td> </tr> </tbody> </table>		Severity	Code	Description	Error	VBUI023	ownership code must be 1 - 9.						
Severity	Code	Description												
Error	VBUI023	ownership code must be 1 - 9.												
Data Source	<table border="1"> <tr> <td>Provider</td> <td>Banner</td> </tr> <tr> <td>Table</td> <td>ZLBBSUP</td> </tr> <tr> <td>Column</td> <td>ZLBBSUP.ZLBBSUP_OWNC_CODE</td> </tr> <tr> <td>GUI Name</td> <td>ZLABSUP</td> </tr> <tr> <td>GUI Label</td> <td>OWNERSHIP:</td> </tr> <tr> <td>SOAXREF Translation Code</td> <td></td> </tr> </table>	Provider	Banner	Table	ZLBBSUP	Column	ZLBBSUP.ZLBBSUP_OWNC_CODE	GUI Name	ZLABSUP	GUI Label	OWNERSHIP:	SOAXREF Translation Code		
Provider	Banner													
Table	ZLBBSUP													
Column	ZLBBSUP.ZLBBSUP_OWNC_CODE													
GUI Name	ZLABSUP													
GUI Label	OWNERSHIP:													
SOAXREF Translation Code														
Effective Terms	Start: 19912 End: (None)													
Old DW Reference	OWNERSHIP_CODE													
Legacy Element ID	F316													
Change History	(None)													

Initial Investment		BUI015																			
Category	Facilities Inventory / Facilities / Building / BUI015																				
Description	The cost of the building, expressed in nominal dollars at the time of construction or acquisition.																				
Data Type	N																				
Length	6																				
Format	X																				
Collection Period	<table border="1"> <thead> <tr> <th colspan="2">Current</th> <th colspan="2">Following</th> <th rowspan="2">Annual</th> <th rowspan="2">Monthly</th> <th rowspan="2">Other</th> </tr> <tr> <th>Mid-term</th> <th>End of Term</th> <th>Mid-term</th> <th>End of Term</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Y</td> </tr> </tbody> </table>			Current		Following		Annual	Monthly	Other	Mid-term	End of Term	Mid-term	End of Term							Y
Current		Following		Annual	Monthly	Other															
Mid-term	End of Term	Mid-term	End of Term																		
						Y															
Reference Table	(None)																				
Business Practices	Value must be between 1 and 999999. Initial investment values are nominal at the time of construction or acquisition (not adjusted for subsequent inflation) and should be based on the best historical knowledge available. NOTE - The entered values represent THOUSANDS of dollars.																				
Validation Rules	Status: Active <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI024</td> <td>initial investment must be 1 - 99999.</td> </tr> </tbody> </table>			Severity	Code	Description	Error	VBUI024	initial investment must be 1 - 99999.												
Severity	Code	Description																			
Error	VBUI024	initial investment must be 1 - 99999.																			
Data Source	<table border="1"> <tr> <td>Provider</td> <td>Banner</td> </tr> <tr> <td>Table</td> <td>ZLBBSUP</td> </tr> </table>	Provider	Banner	Table	ZLBBSUP																
Provider	Banner																				
Table	ZLBBSUP																				

	Column	ZLBBSUP.ZLBBSUP_INITIAL_INVEST
	GUI Name	ZLABSUP
	GUI Label	INIT. INVEST:
	SOAXREF Translation Code	
Effective Terms	Start: 19912 End: (None)	
Old DW Reference	INITIAL_INVEST	
Legacy Element ID	F317	
Change History	(None)	

Average Cost Per Square Foot	BUI016
-------------------------------------	---------------

Category	Facilities Inventory / Facilities / Building / BUI016														
Description	The estimated construction cost, per gross square foot, to reconstruct the building with similar structural and mechanical systems.														
Data Type	N														
Length	3														
Format	X														
Collection Period	Current		Following												
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other								
							Y								
Reference Table	(None)														
Business Practices	<p>Value must be between 1 and 999.</p> <p>Select the value from the range that corresponds to the building's selected Primary Use Code that best represents the unit cost (per GSF) to reconstruct the building using similar structural and mechanical systems. Only construction costs must be included; design cost, FFE, and external infrastructure are excluded.</p>														
Validation Rules	<p>Status: Active</p> <table border="1" style="width: 100%;"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Error</td> <td>VBUI025</td> <td>average cost per square foot must not be null.</td> </tr> <tr> <td>VBUI026</td> <td>square foot value outside the valid range of values. "for the primary use code."</td> </tr> </tbody> </table>							Severity	Code	Description	Error	VBUI025	average cost per square foot must not be null.	VBUI026	square foot value outside the valid range of values. "for the primary use code."
Severity	Code	Description													
Error	VBUI025	average cost per square foot must not be null.													
	VBUI026	square foot value outside the valid range of values. "for the primary use code."													
Data Source	Provider	Banner													
	Table	ZLBBSUP													
	Column	ZLBBSUP_SQ_FOOT_VALUE													
	GUI Name	ZLABSUP													
	GUI Label	Sq Ft Value:													
	SOAXREF Translation Code														

Effective Terms	Start: 19912 End: (None)
Old DW Reference	SQ_FOOT_VALUE
Legacy Element ID	F318
Change History	(None)

Gross Area of Building	BUI017
-------------------------------	---------------

Category	Facilities Inventory / Facilities / Building / BUI017															
Description	The size of the building expressed in gross square feet.															
Data Type	N															
Length	7															
Format	X															
Collection Period	Current		Following													
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other									
							Y									
Reference Table	(None)															
Business Practices	<p>Value must be between 1 and 9999999.</p> <p>The Gross Area of Building field is for recording the overall size of the building in gross square feet, measured according to the guidelines and standards of NCES FICM (2006). If the GSF value must be changed (to reflect renovations, additions, partial demolitions, or to correct an erroneous value), the Gross Area the of Building field must be updated using the Facilities Information Override Form (ZLTFOVR).</p>															
Validation Rules	<p>Status: Active</p> <table border="1" style="width: 100%;"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI027</td> <td>gross area of building must be 1 - 9999999.</td> </tr> <tr> <td></td> <td>VBUI028</td> <td>the sum of the room area in square feet within the building must equal the gross area of building.</td> </tr> </tbody> </table>							Severity	Code	Description	Error	VBUI027	gross area of building must be 1 - 9999999.		VBUI028	the sum of the room area in square feet within the building must equal the gross area of building.
Severity	Code	Description														
Error	VBUI027	gross area of building must be 1 - 9999999.														
	VBUI028	the sum of the room area in square feet within the building must equal the gross area of building.														
Data Source	Provider	Banner														
	Table	ZLBBSUP														
	Column	ZLBBSUP.ZLBBSUP_GROSS_SQ_FT														
	GUI Name	ZLABSUP														
	GUI Label	GROSS SQ FT:														
	SOAXREF Translation Code															
Effective Terms	Start: 19912 End: (None)															
Old DW Reference	Gross Sq Ft:															
Legacy Element ID	F404															
Change History	(None)															

Percent Resident Instruction

BUI018

Category	Facilities Inventory / Facilities / Building / BUI018
----------	---

Description	
-------------	--

Reference Table (None)

Business Practices Value must be between 0 and 100.
'Auxiliary Enterprises' is used to describe space that supports Auxiliary Services operations. Examples include: Bookstores; Retail operations; Dining Halls; Residence Halls; Parking Decks; and office and office support spaces for auxiliary services staff.

Validation Rules **Status: Active**

Severity	Code	Description
Error	VBUI030	percent auxiliary enterprises must be 000 - 100.

Data Source

Provider	Banner
Table	ZLBBSUP
Column	ZLBBSUP.ZLBBSUP_AUX_ENT_PCT
GUI Name	ZLABSUP
GUI Label	% AUX ENT:
SOAXREF Translation Code	

Effective Terms **Start:**

Severity	Code	Description
Error	VBUI031	percent other purposes must be 000 - 100.
	VBUI032	sum of percent resident instruction, percent auxiliary enterprises, and percent other purposes must be 100.

Data Source

Provider	Banner
Table	

	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_PRIM_CODE
	GUI Name	ZLABSUP
	GUI Label	PRIMARY USE:
	SOAXREF Translation Code	
Effective Terms	Start: 19932 End: (None)	
Old DW Reference	PRIMARY_USE_CODE	
Legacy Element ID	F408	

Legacy Element ID	F409
Change History	(None)

DHEW Remote Control	BUI023
----------------------------	---------------

Category	Facilities Inventory / Facilities / Building / BUI023
Description	Buildings located on remote institutional properties that are used by small portions of the student body for a short period of time.
Data Type	A
Length	1
Format	X

Collection Period	Current		Following		Annual	Monthly	Other
	Mid-term	End of Term	Mid-term	End of Term			
							Y

Reference Table	(None)
-----------------	--------

Business Practices	Value must be Y or N.
--------------------	-----------------------

Validation Rules	Status: Active						
	<table border="1" style="width: 100%;"> <thead> <tr> <th style="width: 15%;">Severity</th> <th style="width: 15%;">Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI035</td> <td>dhew remote control must be y or n.</td> </tr> </tbody> </table>	Severity	Code	Description	Error	VBUI035	dhew remote control must be y or n.
Severity	Code	Description					
Error	VBUI035	dhew remote control must be y or n.					

Data Source	Provider	Banner
	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_DHEW_REMOTE
	GUI Name	ZLABSUP
	GUI Label	DHEW REMOTE:
	SOAXREF Translation Code	

Effective Terms	Start: 19912 End: (None)
-----------------	-----------------------------

Old DW Reference	DHEW_REMOTE_IND
------------------	-----------------

Legacy Element ID	F410
-------------------	------

Change History	(None)
----------------	--------

Dorm Beds Available	BUI024
----------------------------	---------------

Category	Facilities Inventory / Facilities / Building / BUI024
Description	A count of the number of dorm beds available for use within the building.
Data Type	N
Length	4

Format X

Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other

Y

Reference Table (None)

Business Practices Value must be between 0 and 9999.
This count should reflect the design capacity of the building, and be in compliance with all relevant building and life safety codes.

Validation Rules **Status: Active**

Severity	Code	Description
Error	VBUI037	dorm beds occupied must not be null.
	VBUI039	dorm beds occupied may not exceed dorm beds available by more than 125%.

Status: Inactive

Severity	Code	Description
Error	VBUI038	dorm beds occupied greater than 0 is invalid when dorm beds available is 0.

Data Source	Provider	Banner
	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_DORM_BEDS_USED
	GUI Name	ZLABSUP
	GUI Label	# DORM BEDS: Used
	SOAXREF Translation Code	

Effective Terms
Start: 19912
End: (None)

Old DW Reference DORM_BEDS_USED

Legacy Element ID F412

Change History (None)

Apartment Spaces Available

BUI026

Category	Facilities Inventory / Facilities / Building / BUI026
Description	A count of the number of apartment spaces available for use.
Data Type	N
Length	4
Format	X

356.0898061..271 rg1 rg235.8 -233.438477 Td/R4 10 Tf(X) TFE682.3ET0.906 0.898 0.898 rg61.25 -384.25 88.5 -19.6 refq61.25 -3680 16..5 -1924.1eWnq

Current		Following			Annual	Monthly	Other
Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other	

Column	ZLBBSUP.ZLBBSUP_APT_SPACE
GUI Name	ZLABSUP
GUI Label	# APT SPACE: Avail.
SOAXREF Translation Code	

Effective Date	Start: 19912
Effective Date	End: (None)
Old Data	SPACE
Legacy Element	
Change History	

Apartment Space BUI027

Category	Facilities / Building / BUI027
Description	The number of apartment spaces presently occupied.
Data Type	N
Length	4
Format	X

Collection Period	Current		Following			
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly

Reference Table: (None)

Business Practices: Value must be between 0 and 9999.

Validation Rules

Status: Active

Severity	Code	Description
Error	VBUI041	apartment space occupied cannot be null.
	VBUI043	apartment space occupied may not exceed apartment space available by more than 150%.

Status: Inactive

Severity	Code	Description
Error	VBUI042	apartment space occupied greater than 0 is invalid when apartment space available is 0.

Data Source	Provider	Banner
	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_APT_SPACE_USED
	GUI Name	ZLABSUP
	GUI Label	# APT SPACE: Used
	SOAXREF Translation Code	

Effective Terms	Start: 19912 End: (None)
Old DW Reference	APT_SPACE_USED
Legacy Element ID	F414
Change History	(None)

House Spaces Available BUI028

Category	Facilities Inventory / Facilities / Building / BUI028
Description	A count of the housing units available for use within the building. This should be a count of the number of dwelling units, not the number of beds or bedrooms within those units.
Data Type	N
Length	4
Format	X

Collection Period	Current		Following		Annual	Monthly	Other
	Mid-term	End of Term	Mid-term	End of Term			
							Y

Reference Table (None)

Business Practices Value must be between 0 and 19.

Validation Rules

Status: Active

Severity	Code	Description
Error	VBUI044	house space available must be 0 - 19.

Data Source	Provider	Banner
	Table	ZLBBSUP
	Column	ZLBBSUP.ZLBBSUP_HOUSE_SPACE
	GUI Name	ZLABSUP
	GUI Label	# HSE SPACE: Avail.
	SOAXREF Translation Code	

Effective Terms	Start: 19912 End: (None)
Old DW Reference	HOUSE_SPACE
Legacy Element ID	F415
Change History	(None)

House Spaces Occupied BUI029

Category	Facilities Inventory / Facilities / Building / BUI029
Description	A count of the occupied dwelling units within the building. The count refers to unit occupancy, not the occupancy of ind

	individual beds or bedrooms within the unit.																		
Data Type	N																		
Length	4																		
Format	X																		
Collection Period	<table border="1"> <thead> <tr> <th colspan="2">Current</th> <th colspan="2">Following</th> <th rowspan="2">Annual</th> <th rowspan="2">Monthly</th> <th rowspan="2">Other</th> </tr> <tr> <th>Mid-term</th> <th>End of Term</th> <th>Mid-term</th> <th>End of Term</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Y</td> </tr> </tbody> </table>	Current		Following		Annual	Monthly	Other	Mid-term	End of Term	Mid-term	End of Term							Y
Current		Following		Annual	Monthly				Other										
Mid-term	End of Term	Mid-term	End of Term																
						Y													
Reference Table	(None)																		
Business Practices	Value must be between 0 and 19.																		
Validation Rules	<p>Status: Active</p> <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI045</td> <td>house spaces occupied cannot be null.</td> </tr> <tr> <td></td> <td>VBUI047</td> <td>house space occupied may not exceed house space available by more than 150%.</td> </tr> </tbody> </table> <p>Status: Inactive</p> <table border="1"> <thead> <tr> <th>Severity</th> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Error</td> <td>VBUI046</td> <td>house space occupied greater than 0 is invalid when house space available is 0.</td> </tr> </tbody> </table>	Severity	Code	Description	Error	VBUI045	house spaces occupied cannot be null.		VBUI047	house space occupied may not exceed house space available by more than 150%.	Severity	Code	Description	Error	VBUI046	house space occupied greater than 0 is invalid when house space available is 0.			
Severity	Code	Description																	
Error	VBUI045	house spaces occupied cannot be null.																	
	VBUI047	house space occupied may not exceed house space available by more than 150%.																	
Severity	Code	Description																	
Error	VBUI046	house space occupied greater than 0 is invalid when house space available is 0.																	
Data Source	<table border="1"> <tr> <td>Provider</td> <td>Banner</td> </tr> <tr> <td>Table</td> <td>ZLBBSUP</td> </tr> <tr> <td>Column</td> <td>ZLBBSUP.ZLBBSUP_HOUSE_SPACE_USED</td> </tr> <tr> <td>GUI Name</td> <td>ZLABSUP</td> </tr> <tr> <td>GUI Label</td> <td># HSE SPACE: Used</td> </tr> <tr> <td>SOAXREF Translation Code</td> <td></td> </tr> </table>	Provider	Banner	Table	ZLBBSUP	Column	ZLBBSUP.ZLBBSUP_HOUSE_SPACE_USED	GUI Name	ZLABSUP	GUI Label	# HSE SPACE: Used	SOAXREF Translation Code							
Provider	Banner																		
Table	ZLBBSUP																		
Column	ZLBBSUP.ZLBBSUP_HOUSE_SPACE_USED																		
GUI Name	ZLABSUP																		
GUI Label	# HSE SPACE: Used																		
SOAXREF Translation Code																			
Effective Terms	Start: 19912 End: (None)																		
Old DW Reference	HOUSE_SPACE_USED																		
Legacy Element ID	F416																		
Change History	(None)																		

Room

Room Code	BRM001
Category	GET0.906 0.898 0.898 rg332.25 -162.5 66.271 rQQBTeQQBT0.2 50.906 0.898 0.898 rg159 -279.1 49.15RETB25 -637.25 cm/R7 DoQQBT0.2

Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other
Reference Table							Y

Validation Rules	Status: Inactive	
	Severity	Description
	Error	VBRM002 room description cannot be null.
Data Source	Provider	Banner
	Table	ZLRRUSP
	Column	ZLRRSUP.ZLRRSUP_ROOM_DESCR
	GUI Name	ZLARSUP
	GUI Label	DESC
	SOAXREF Translation Code	
Effective Terms	Start: 19912	End: (None)
Old DW Reference	ROOM_DESC	
Legacy Element ID	F606	
Change History	(None)	

Room Area in Square Feet BRM003

Category	Facilities Inventory / Facilities / Room / BRM003
Description	Defines the size of a room in assignable square feet.

	SOAXREF Translation Code
Effective Terms	Start: 19912 End: (None)
Old DW Reference	AREA_SQFT
Legacy Element ID	F607
Change History	(None)

Room Use Code BRM004

Category	Facilities Inventory / Facilities / Room / BRM004						
Description	A numeric code to define a room's primary assigned use.						
Data Type	N						
Length	3						
Format	X						
Collection Period	Current		Following				
	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other

	SOAXREF Translation Code		
Effective Terms	Start: 19912 End: (None)		
Old DW Reference	ROOM_USE_CODE		
Legacy Element ID	F608		
Change History	ACADEMIC_TERM	CHANGE_DATE	CHANGE_NOTES
	20232	Sep 9, 2022 12:00:00 AM	Inactivated validation VBRM008. Corrected the Data Source Table name and added Room Use Code '009' to the EDW_FIDM_ROOM_USE_LKP table as a valid value.
		Oct 1, 2012 12:00:00 AM	

	Table	ZLRRSUP		
	Column	ZLRRSUP.ZLRRSUP_PGCL_CODE		
	GUI Name	ZLARSUP		
	GUI Label	Rm Use		
	SOAXREF Translation Code			
Effective Terms	Start:	19912		
	End:	(None)		
Old DW Reference	PROGRAM_CLASS_CODE			
Legacy Element ID	F609			
Change History	ACADEMIC_TERM	CHANGE_DATE	CHANGE_NOTES	
	20232	Sep 9, 2022 12:00:00 AM	Inactivated validations VBRM009 and VBRM010. Corrected the Data Source Table name.	

Number of Stations	BRM006
---------------------------	---------------

Category	Facilities Inventory / Facilities / Room / BRM006
Description	

different use. Institutions should develop processes that identify and track such actions, and trigger station count validation and update.

Validation Rules

Status: Active

Severity	Code	Description
Error	VBRM014	number of stations must be greater than 0 for room use codes 110, 211, 212, 213 and 310.
	VBRM016	number of stations must be greater than or equal to zero for room use codes 221, 222, 230, 250, 350, 410, 411, 412, 430, 611,612, 680.

Status: Inactive

Severity	Code	Description
Error	VBRM011	number of stations missing or not numeric.
	VBRM012	number of stations invalid for room use codes 010, 020, 030, 040.
	VBRM013	number of stations required for program class code 11, 12, 13, 52, or 81.

Data Source

Provider	Banner
Table	ZLRRSUP
Column	ZLRRSUP.ZLRRSUP_STATION_NUMBER
GUI Name	ZLARSUP
GUI Label	Number Stations
SOAXREF Translation Code	

Effective Terms

Start: 19912
End: (None)

Old DW Reference

ROOM_STATION_NBR

Legacy Element ID

F611

Change History

ACADEMIC_TERM	CHANGE_DATE	CHANGE_NOTES
---------------	-------------	--------------

	Mid-term	End of Term	Mid-term	End of Term	Annual	Monthly	Other
							Y
Reference Table	(None)						
Business Practices	<p>The universe of potential valid values is maintained in the 2010 IPEDS CIP taxonomy. In Banner, institutions maintain an available subset of CIP codes that correspond to the institution's approved degree programs in the CIP Code Validation Form (STVCIPC).</p> <p>CIP code must be entered for all 211 Discipline Class Laboratories), 221 Discipline Open Laboratories, 250 Research Non-Class Laboratories, and 255 Research Service.</p> <p>CIP code must be entered for the following special and general use spaces that support an approved instructional program: 510 Armory, 515 Armory Service, 520 Athletics or Physical Education, 525 Athletics or Physical Education Service, 530 Media Production, 535 Media Production Service, 540 Clinic, 545 Clinic Service, 550 Demonstration, 555 Demonstration Service, 560 Field Building, 570 Animal Quarters, 575 Animal Quarters Service, 580 Greenhouse, 585 Greenhouse Service, 590 Other, 611 Performance Venue, and 616 Venue Service.</p> <p>CIP code must be entered for the following library/study spaces that are specific to an instructional program: 410 Reading/Study, 411 Open Computing Laboratory, 420 Stack, 430 Open Stack Study Room, 440 Processing Room, 455 Study Service.</p> <p>When making CIP coding decisions, the design of a space (configuration, features, fixed equipment, location, access) and the characteristics of scheduled sections and uses should both be considered.</p> <p>CIP code may be entered at varying levels of detail (2 digits, 4 digits, or 6 digits) depending on the extent of use specialization.</p> <p>For example, a dry laboratory of general configuration that is routinely scheduled for Astronomy (40.0201), Physics (40.0801), and Geology/Earth Science (40.0601) sections would be coded with two digits: 40 (Physical Sciences). A dry laboratory that is specialized for Physics instruction, but routinely scheduled for sections in General Physics (40.0801), Optical Physics (40.0807), and Theoretical Physics (40.0810) would be coded with four digits: 4008 (Physics). A dry laboratory that is typically used only for core Physics instruction (40.0801) sections would be coded at six digits: 400801 (Physics).</p>						

Validation Rules	(None)	
Data Source	Provider	ITS
	Table	
	Column	
	GUI Name	
	GUI Label	
	SOAXREF Translation Code	RGTERM
Effective Terms	Start: (None) End: (None)	
Old DW Reference		
Legacy Element ID		
Change History	(None)	